

Literatur (Straumann_Launch_TLX)

1. Cochran D, Stavropoulos A, Obrecht M, Pippenger B, Dard M A Comparison of Tapered and Nontapered Implants in the Minipig. *Int J Oral Maxillofac Implants* 2016, 31(6):1341-1347. doi: 10.11607/jomi.4712.
2. Derks J, Håkansson J, Therapy Wennström JL, Tomasi C, Larsson M, Berglundh T. Effectiveness of Implant Analyzed in a Swedish Population: Early and late Implant Loss. *J Dent Res* 2014, Dec 11.
3. Derks J, Schaller D, Håkansson J, Wennström JL, Tomasi C, Berglundh T. Effectiveness of Implant Therapy Analyzed in a Swedish Population: Prevalence of Peri-implantitis. *J Dent Res*. 2016, 95(1):43-9. doi: 10.1177/0022034515608832. PMID: 26701919.
4. Eckert SE, Hueler G, Sandler N, Elkattah R, McNeil DC. Immediately Loaded Fixed Full-Arch Implant-Retained Prosthesis: Clinical Analysis When Using a Moderate Insertion Torque. *Int J Oral Maxillofac Implants*. 2019 May/June;34(3):737-744. doi: 10.11607/jomi.7193. Epub 2019 Jan 31. PMID: 30703181.
5. Gottlow J, Dard M, Kjellson F, Obrecht M, Sennerby L. Evaluation of a new titanium-zirconium dental implant: a biomechanical and histological comparative study in the mini pig. *Clin Implant Dent Relat Res*. 2012 Aug;14(4):538-45.
6. Kang MH, Jung UW, Cho KS, Lee JS. Retrospective radiographic observational study of 1692 Straumann tissue-level dental implants over 10 years. II. Marginal bone stability. *Clin Implant Dent Relat Res* 2018, Epub Jul 26, doi: 10.1111/cid.12636.
7. Kim S, Jung UW, Cho KS, Lee JS. Retrospective radiographic observational study of 1692 Straumann tissue-level dental implants over 10 years: I. Implant survival and loss pattern. *Clin Implant Dent Relat Res* 2018, Epub Aug 15, doi: 10.1111/cid.12659.
8. Kopf BS, Ruch S, Berner S, Spencer ND, Maniura-Weber K. The role of nanostructures and hydrophilicity in osseointegration: In-vitro protein-adsorption and blood-interaction studies. *J Biomed Mater Res A* 2015, 103(8):2661-72. doi: 10.1002/jbm.a.35401. Epub 2015, Feb 11.
9. Lang NP, Salvi GE, Huynh-Ba G, Ivanovski S, Donos N, Bosshardt DD. Early osseointegration to hydrophilic and hydrophobic implant surfaces in humans. *Clin Oral Implants Res* 2011, 22(4):349-56. doi: 10.1111/j.1600-0501.2011.02172.x.
10. Nicolau P, Guerra F, Reis R, Krafft T, Benz K, Jackowski J. 10-year outcomes with immediate and early loaded implants with a chemically modified SLA surface. *Quintessence Int*. 2019 Jan 25;50(2):114-124. doi: 10.3290/j.qi.a41664. Epub 2018 Dec 18. PMID: 30564806
11. Oates TW, Valderrama P, Bischof M, Nedir R, Jones A, Simpson J, Toutenburg H, Cochran DL. Enhanced implant stability with a chemically modified SLA surface: a randomized pilot study. *Int J Oral Maxillofac Implants*. 2007 Sep-Oct;22(5):755-60. PMID: 17974109
12. Quirynen M, Al-Nawas B, Meijer HJ, Razavi A, Reichert TE, Schimmel M, Storelli S, Romeo E; Roxolid Study Group: Small-diameter titanium Grade IV and titanium-zirconium implants in edentulous mandibles: three-year results from a double-blind, randomized controlled trial. *Clin Oral Implants Res* 2015, 26(7):831-40. doi: 10.1111/clr.12367. Epub 2014 Apr 9.
13. Reis R, Nicolau P, Calha N, Messias A, Guerra F. Immediate versus early loading protocols of titanium-zirconium narrow-diameter implants for mandibular overdentures in edentulous patients: 1-year results from a randomized controlled trial. *Clin Oral Implants Res*. 2019 Oct;30(10):953-961. doi: 10.1111/clr.13502. Epub 2019 Jul 21. PMID: 31278767.

14. Rupp F, Scheideler L, Olshanska N, de Wild M, Wieland M, Geis-Gerstorfer J. Enhancing surface free energy and hydrophilicity through chemical modification of microstructured titanium implant surfaces. *J Biomed Mater Res A* 2006, 76(2):323-34.
15. Schiegnitz E: Next level- moderne Tissue Level Implantate. *Dentale Implantologie* 2021,25(4): 218-221.
16. Wen B, Zhu F, Li Z, Zhang P, Dard M: The osseointegration behavior of titanium-zirconium implants in ovariectomized rabbits. *Clin Oral Implants Res* 2014, 25(7):819-25. doi: 10.1111/clr.12141. Epub 2013 Feb 21.